Operation Guide 2788

About This Manual




- Button operations are indicated using the letters shown in the illustration.
 For the sake of simplicity, the sample displays in this
- manual do not show the analog hands of the watch.
- Each section of this manual provides you with the information you need to perform operations in each mode. Further details and technical information can be found in the "Reference" section.

General Guide

- Press © to change from mode to mode. After you perform an operation (except for ⑧) in any mode, pressing © returns to the Timekeeping Mode.
 In any mode, press ⑧ to illuminate the display.

Timekeeping Mode


Telememo Mode World Time Mode



Timekeeping

This watch features separate digital and analog timekeeping. The procedures for

setting the digital time and analog time are different. \bullet In the Timekeeping Mode, press (A) to toggle the display between the date screen and the time screen



Digital Time and Date

10:08

50

Use the Timekeeping Mode to set and view a digital display of the current time and date. When setting the digital time, you can also configure settings for summer time (Daylight Saving time or DST).

To set the digital time and date 1. In the Timekeeping Mode, hold down (A) until the seconds start to flash, which indicates the setting

screen. 2. Press \bigcirc to move the flashing in the sequence shown below to select the other settings

-> DST --> Hour Seconds Minutes Day Month Year

3. When the setting you want to change is flashing, use (B) and (D) to change it as described below.

Screen	To do this:	Do this:		
50	Reset the seconds to III	Press D.		
OFF	Toggle between Daylight Saving Time (ON) and Standard Time (OFF)	Press D.		
P 10:08	Change the hour or minutes	Use (D) (+) and (B) (-).		
2003	Change the year			
6-30	Change the month or day			

4. Press (a) to exit the setting screen.
Resetting the seconds only (without changing the hour, minute, or DST setting) causes the analog minute hand setting to be adjusted automatically. If you change the hour, minute, or DST setting, you should also use the procedure under "To adjust the analog time" to adjust the analog hands accordingly.
See "Digital Time Daylight Saving Time (DST) Setting" for details about the DST setting.

- See "Digital Time Daylight Saving Time (DST) Setting" for details about the DST setting.
 Resetting the seconds to III while the current count is in the range of 30 to 59 causes the minutes to be increased by 1. In the range of 00 to 29, the seconds are reset to III without changing the minutes.
 The day of the week is automatically displayed in accordance with the date (year, month, and day) settings.
 The year can be set in the range of 2000 to 2099.
 The watch's builts in full automatic calendar makes allowances for different month.

- The watch's built-in full automatic calendar makes allowances for different month lengths and leap years. Once you set the date, there should be no reason to change it except after you have the watch's battery replaced.

Countdown Timer

- To toggle between 12-hour and 24-hour timekeeping In the Timekeeping Mode, press (1) to toggle between 12-hour timekeeping (indicated by A or P on the display), or 24-hour timekeeping. With the 12-hour format, the P (PM) indicator appears on the display for times in the range of noon to 11:59 p.m. and the A (AM) indicator appears for times in the range of midnight to 11:59 a.m. With the 24-hour format, times are displayed in the range of 0:00 to 23:59, without any indicator. The 12-hour/24-hour timekeeping format you select in the Timekeeping Mode is applied in all modes.

Digital Time Daylight Saving Time (DST) Setting Daylight Saving Time (summer time) advances the digital time setting by one hour from Standard Time. Remember that not all countries or even local areas use Daylight Saving Time

eeping Mode digital time between DST and Standard Time 1. In the Timekeeping Mode, hold down (A) until the B seconds start to flash, which indicates the setting To toggle the Timek



Alarm Mode

screen screen. 2. Press © once to display the DST setting screen. 3. Press © to toggle between Daylight Saving Time (DN displayed) and Standard Time (DFF displayed). 4. Press (a) to exit the setting screen. • The DST indicator appears on the Timekeeping, Alarm, and Hand Setting Mode to indicate that Daylight Saving Time is tured appears.

Time is turned on

Setting the Analog Time

Perform the procedure below when the time indicated by the analog hands does not match the time of the digital display

To adjust the analog time



- 2

In the Timekeeping Mode, press © six times to enter the Hand Setting Mode.
 Hold down (A) until the current digital time starts to flash, which indicates the analog setting screen.
 Press (D) to advance the analog time setting by

- 20 seconds.

 Holding down (D) advances the analog time setting at high sp eed

 If you need to advance the analog time a long way, press ()) and ()) at the same time. This locks the high speed hand movement, so you can release the two buttons. High-speed hand movement continues until you press any button. It will also stop automatically after the time advances 12 hours or if an alarm (daily alarm, Hourly Time Signal, or countdown alarm) starts to sound. 4. Press A to exit the setting screen.

To return to the Timekeeping Mode, press ©


1

CASIO

Hand Setting

Operation Guide 2788

Telememo



Telememo lets you store up to 30 records, each containing name and telephone number data. Records are automatically sorted based on the characters of the name. You can recall records by scrolling through them on the display.

- A Telememo Mode record has a name field and a number field
- See "Character List" for details on how the watch sorts
- All of the operations in this section are performed in the Telememo Mode, which you enter by pressing ©.

new Telememo record

- In the Telememo Mode, press (B) and (D) at the same time to display the new data screen.
 The new data screen shows -----, which indicates that there is no text in the name field.
 If the new data screen does not appear, it means that memory is full. To store another record, you will first hous to delate serve it the screen detaged a target in generating.

New Data Screen

2. Hold down A until the flashing cursor (----) appears in the name field of the display, which indicates the setting screen

3. Use () and () to change the character at the cursor position in the name field. The character changes in the following sequence.

have to delete some of the records stored in memory.

You can input spaces, alpha characters, symbols, and numbers in a name. For details, see the "Character List".



4. When the character you want is at the cursor position,

- 4. When the character you want is at the cursor position, press © to move the cursor to the right.
 5. Repeat steps 3 and 4 until the name is complete.
 You can input up to eight characters for the name.
 6. After you input the name, press © as many times as necessary to move the cursor to the number field.
 You tell when you are in the name field because of the long cursor (--). The number field has a short cursor (-). D

- The name field has spaces for eight characters, so you must press © to move the past the 8th character in order to get to the number field.
 The number field has spaces for 16 digits. Pressing © until the cursor moves past the 16th digit causes it to jump back to the first character of the name field.


- 8. When the character you want is at the cursor position, press (C) to move the cursor to the right.
- Repeat steps 7 and 8 until you complete number input.

- 9. Repeat steps / and o unit you complete humber induced input.
 You can input up to 16 digits for the number.
 10. Press (A) to store your data and return to the Telememo record screen (without the cursor).
 After you press (A) to store data, the name flashes for about one second to indicate that records are being sorted.
 Note that a record must have something input in the name field, otherwise you will not be to store it.
- not be able to store it.

To recall Telememo records

In the Telememo Mode, press D (+) to scroll through Telememo records on the display

- Only name data appears when you scroll through Telememo records
 Press (A) to toggle the screen between the name and number fields.



- The name and number scroll from right to left on the display. A separator (4) is
- Inserted between the last character and first character of the data.
 Pressing
 ⁽¹⁾
 ⁽²⁾

- To edit a Telememo record 1. In the Telememo Mode, use to scroll through the records and display the one you want to edit. 2. Hold down (A) until the flashing cursor appears on the display.

- Boo down (a) until the flashing oursor appears on the display.
 Use (b) to move the flashing to the character you want to change.
 Use (b) and (b) to change the character.
 For details on inputting characters, see "To create a new Telememo record" (step 3 for name input and 7 for number input).
 After making the changes that you want, press (A) to store them and return to the Telememo record.
- Telememo record screen.

- To delete a Telememo record 1. In the Telememo Mode, use (1) to scroll through the records and display the one In the felements wode, use () to solve through the focus and sloper, the rough the you want to delete.
 Hold down (à) until the flashing cursor appears on the display.
 Press (B) and (D) at the same time to delete the record.
 □LR appears to indicate that the record is being deleted. After the record is deleted, the cursor appears on the display, ready for input.
 Input data or press (à) to return to the Telememo record screen.

World Time



World Time digitally displays the current time in 30 cities (29 time zones) around the world. All of the operations in this section are performed in the World Time Mode, which you enter by pressing C.

World Time

The time settings of the Timekeeping Mode and the World Time Mode are independent of each other, so you must make separate settings for each. This watch is preset with a number of city codes, each of which represents the time zone where that city is located.

- Whenever you change the time setting for any city in the World Time Mode, the settings of all other cities are changed accordingly.
 If your location is not included in the preset city codes, select the preset city code that is in the same time zone as your location.
 For full information on city codes, see the "City Code Table".
- To set the World Time



1. In the World Time Mode, press (D) to scroll through city

If the world time back, provide the codes.
 Idold down (&) until the DST On/Off setting of the world time starts to flash, which indicates the setting screen.
 Press (©) to move the flashing in the sequence shown below to select the other settings.



- 4. While a setting is flashing, use (1) and (2) to change it. Pressing (1) and (3) at the same time while any World Time setting is flashing causes the displayed time to change to the same setting as the current Timekeeping Mode time.

- While DST On/Off setting is selected (flashing), press () to toggle between Daylight Saving Time (OFF) and Standard Time (OFF).
 While the hour or minutes setting is selected (flashing), use () (+) and () (-) to change it.5. Press (A) to exit the setting screen.

To view the time in another city code In the World Time Mode, press (1) to scroll through city codes.

To toggle a city code time between Standard Time and Daylight Saving Time 1. In the World Time Mode, use (1) to display the city code whose Standard Time/Daylight Saving Time setting you



- want to change. 2. Hold down (A) until the DST On/Off setting of the world
- Hold down (A) until the US1 On/Off setting of the world time starts to flash, which indicates the setting screen.
 Press (D) to toggle between Daylight Saving Time (Di-H displayed) and Standard Time (DFF displayed).
 Press (A) to exit the setting screen.
 The DST indicator appears on the World Time Mode display to indicate that Daylight Saving Time is turned on on.
- on. The above operation toggles all World Time city codes between Daylight Saving Time and Standard Time. Note that you cannot make settings for individual city codes.

Alarms



To set an alarm time

12:00

AL 1

- You can set three independent Daily Alarms. When an alarm is turned on, the alarm tone sounds when the alarm time is reached. One of the alarms is a snoze alarm, while the other two are cone-time alarms. You can turn on an Hourly Time Signal that causes the watch to beep twice every hour on the hour. There are four screens in the Alarm Mode. Two are for one-time alarms (Indicated by numbers $\exists L1$ and $\exists L2$), one is for a snoze alarm (Indicated by $\exists SJ2$), and one is for the Hourly Time Signal (Indicated by $\exists I3$). All of the operations in this section are performed in the Alarm Mode, which you enter by pressing \mathbb{O} .

1. In the Alarm Mode, use to scroll through the alarm screens until the one whose time you want to set is displayed.



- To set a one-time alarm, display one of the screens indicated by an alarm number AL 1 or AL 2. To set the snooze alarm, display the screen indicated by
- The snooze alarm repeats every five minutes.
 After you select an alarm, hold down (A) until the hour setting of the alarm time starts to flash, which indicates the setting screen.
- This operation automatically turns on the alarm.
 Press © to move the flashing between the hour and minute settings.
- 4. While a setting is flashing, use D (+) and B (–) to change it
- When setting the alarm time using the 12-hour format, take care to set the time correctly as a.m. (A indicator) or p.m. (P indicator). 5. Press (A) to exit the setting screen.

CASIO

Operation Guide 2788

CASIO

Alarm Operation

- The alarm sounds at the preset time for about 10 seconds, regardless of the mode the watch is in. In the case of the snooze alarm, the alarm operation is performed a total
- of seven times, every five minutes, or until you turn the alarm operation is performed at a of seven times, every five minutes, or until you turn the alarm off.
 Alarm and Hourly Time Signal operations are performed in accordance with the Timekeeping Mode digital time.
 To stop the alarm tone after it starts to sound, press any button.
- Performing any one of the following operations during a 5-minute interval between snooze alarms cancels the current snooze alarm operation.
- Displaying the Timekeeping Mode setting screen Displaying the SNZ setting screen

To test the alarm In the Alarm Mode, hold down (1) to sound the alarm

- To turn an alarm and the Hourly Time Signal on and off
 1. In the Alarm Mode, use (1) to select an alarm or the Hourly Time Signal.
 2. Press (3) to toggle it on and off.
 The indicators shown below appear on the display when the daily alarm and Hourly Time Signal are turned on. Each indicator disappears when the corresponding function is turned off.



- The above on indicators appear on the display in all modes.
 An on indicator on the display flashes while its corresponding alarm operation is according. sounding
- The snooze alarm on indicator flashes during the 5-minute intervals between

Countdown Timer



The countdown timer can be set within a range of one minute to 24 hours. An alarm sounds when the countdown reaches zero All of the operations in this section are performed in the Countdown Timer Mode, which you enter by pressing ©.

To set the countdown start time

- Io set the countdown start time 1. In the Countdown Timer Mode, hold down (a) until the hour setting of the countdown start time starts to flash, which indicates the setting screen. 2. Press (b) to move the flashing between the hour and minute settings.
- 3. While a setting is flashing, use (D) (+) and (B) (-) to change it.
 To set the starting value of the countdown time to 24 hours, set 0:00.
 4. Press (A) to exit the setting screen.

To use the countdown time

0:02

Press (1) while in the Countdown Timer Mode to start the countdown timer. • When the end of the countdown is reached, the alarm

- sounds for 10 seconds or until you stop it by pressing any button. The countdown time is automatically reset to
- any button. The countdown time is automatically reset to its starting value after the alarm stops.
 Press () while a countdown operation is in progress to pause it. Press () again to resume the countdown.
 To completely stop a countdown operation, first pause it (by pressing ()), and then press (a). This returns the countdown time to its starting value.
 The countdown to preasurement operation continues
- The countdown timer measurement operation continues even if you exit the Countdown Timer Mode.

Stopwatch

 \leq •ы The stopwatch lets you measure elapsed time, split times, and two finishes.

- and two finishes. The display range of the stopwatch is 23 hours, 59 minutes, 59.99 seconds. The stopwatch continues to run, restarting from zero after it reaches its limit, until you stop it. The stopwatch measurement operation continues even if you exit the Stopwatch Mode. Exiting the Stopwatch Mode while a split time is frozen on the display cleare the solit time and returns to
- on the display clears the split time and returns to elapsed time measurement.

To measure times with the stopwach

second

Minutos

0:00

Elapsed Time				
(D)	► (D)>	• (D)	(D)	A
Start	Stop	Re-start	Stop	Clear
Split Time				
(D)		A	(D)	A
Start	Split	Split release	Stop	Clear
Two Finishes				
(D)	\rightarrow \land \rightarrow	0>	(A)	A
Start	Split	Stop	Split release	Clear
	First runner finishes. Display time of first runner.	Second runner finishes.	Display time of second runner.	

Reference

This section contains more detailed and technical information about watch operation. It also contains important precautions and notes about the various feature functions of this watch.

Auto Return Feature

- The watch automatically returns to the Timekeeping Mode if you do not perform any button operation for two or three minutes in the Telememo, Alarm, or Hand Setting Mode.
- If you leave a screen with flashing digits or a cursor on the display for two or three minutes without performing any operation, the watch automatically exits the setting screen
- screen. Holding down © for about one second in any mode jumps directly to the Timekeeping Mode. This operation does not work while a setting screen is on the Timeke display

Scrolling The (B) and (D) buttons are used in various modes and setting screens to scroll through data on the display. In most cases, holding down these buttons during a scroll operation scrolls through the data at high speed.

Initial Screens

When you enter the Telememo, World Time, or Alarm Mode, the data you were viewing when you last exited the mode appears first.

World Time

- World Time
 The UTC differentials associated with each city code are used to calculate World Time Mode times, based on the time you set for any one of the World Time cities.
 The UTC differential is a value that indicates the time difference between a reference point in Greenwich, England and the time zone where a city is located.
 The letters "UTC" is the abbreviation for "Coordinated Universal Time", which is the
- world-wide scientific standard of timekeeping. It is based upon carefully maintained atomic (cesium) clocks that keep time accurately to within microseconds. Leap seconds are added or subtracted as necessary to keep UTC in sync with the Earth's rotation.

Backlight Precautions

The backlight uses an EL (electro-luminescent) panel that causes the entire display to glow for easy reading in the dark. In any mode, press (a) to illuminate the display for about one second. The electro-luminescent panel that provides illumination loses power after very long

- use The illumination provided by the backlight may be hard to see when viewed under
- The matrix and the second se
- The backlight automatically turns off whenever an alarm sounds
- · Frequent use of the backlight shortens the battery life.

Character List

1	(space)	11	J	21	Т	31	2	41	Ö
2	Ĥ	12	К	22	C	32	2	42	1
3	ω	13	_	23	Ç	33		43	R
4	C	14	М	24	ω	34	1	44	Э
5	О	15	Ν	25	X	35	:	45	4
6	Ш	16	O	26	Ϋ́	36	(46	5
7	Н	17	þ.	27	Z	37)	47	\in
8	Ø	18	Q	28	æ	38	\sim	48	7
9	Н	19	R	29		39	+	49	8
10	Ι	20	3	30	·?:	40		50	Э

City Code Table

City Code	City	UTC Differential	Other major cities in same time zone			
PPG	Pago Pago	-11.0				
HNL	Honolulu	-10.0	Papeete			
ANC	Anchorage	-09.0	Nome			
LAX	Los Angeles	-08.0	San Francisco, Las Vegas, Vancouver, Seattle/Tacoma, Dawson City			
DEN	Denver	-07.0	El Paso, Edmonton			
СНІ	Chicago	-06.0	Houston, Dallas/Ft. Worth, New Orleans, Mexico City, Winnipeg			
NYC	New York	-05.0	Montreal, Detroit, Miami, Boston, Panama City, Havana, Lima, Bogota			
CCS	Caracas	-04.0	La Paz, Santiago, Pt. Of Spain			
RIO	Rio De Janeiro	-03.0	Sao Paulo, Buenos Aires, Brasilia, Montevideo			
		-02.0				
		-01.0	Praia			
LON	London	+00.0	Dublin, Lisbon, Casablanca, Dakar, Abidjan			
PAR	Paris	+01.0	Milan, Rome, Madrid, Amsterdam, Algiers,			
BER	Berlin	+01.0	Hamburg, Frankfurt, Vienna, Stockholm			
CAI	Cairo	+02.0	Athens, Helsinki, Istanbul, Beirut, Damascus,			
JRS	Jerusalem	+02.0	Cape Town			
JED	Jeddah	+03.0	+03.0	Kuwait, Riyadh, Aden, Addis Ababa, Nairobi		
MOW	Moscow					
THR	Tehran	+03.5	Shiraz			
DXB	Dubai	+04.0	Abu Dhabi, Muscat			
KBL	Kabul	+04.5				
KHI	Karachi	+05.0	Male			
DEL	Delhi	+05.5	Mumbai, Kolkata			
DAC	Dhaka	+06.0	Colombo			
RGN	Yangon	+06.5				
BKK	Bangkok	+07.0	Jakarta, Phnom Penh, Hanoi, Vientiane			
HKG	Hong Kong	+08.0	Singapore, Kuala Lumpur, Beijing, Taipei, Manila, Perth. Ulaanbaatar			
TYO	Tokyo	+09.0	Seoul, Pyongyang			
ADL	Adelaide	+09.5	Darwin			
SYD	Sydney	+10.0	Melbourne, Guam, Rabaul			
NOU	Noumea	+11.0	Pt. Vila			
WLG	Wellington	+12.0	Christchurch, Nadi, Nauru Is.			
*Baseo	*Based on data as of June 2003.					

All of the operations in this section are performed in the Stopwatch Mode, which you enter by pressing ©.